

Ø 250 mm, FORWARD CURVED

AC CENTRIFUGAL FAN





Features

- **Impeller material:** galvanized steel
- **Direction of rotation:** clockwise, seen on rotor
- **Type of protection:** IP54
- **Insulation class:** F
- **Mode of operation:** continuous operation (S1)
- **Bearing:** ball bearings
- **Motor protection:** self-resetting TOP wired internally



Technical data

Model	Perform. curve	Nominal voltage [VAC]	Frequency [Hz]	Speed [RPM]	Power input max [W]	Current max [A]	Sound pres. level [dB(A)]	Perm. amb. temp. [°C]	Capacitor [µF/VDB]	Electrical connection
BL-F250A-4E-P01-01	I	230	50	1330	900	4.10	73	-25 ... +60	16.0/450	A
BL-F250A-6E-001-01	II	230	50	900	320	1.60	70	-25 ... +70	5.0/450	A
BL-F250A-4D-P01-01	III	230	50	1400	870	3.10	74	-25 ... +70	-	B1
		400	50	1400	870	1.80	74	-25 ... +70	-	B2
BL-F250A-6D-L01-01	IV	230	50	910	320	1.40	70	-25 ... +70	-	B1
		400	50	910	320	0.81	70	-25 ... +70	-	B2



Overall Dimensions

